


# CHOOSE THE **VERSATILE X3280 SERIES** THAT WORKS AT THE SPEED OF BUSINESS

## Configurations & Options




### 1 Choose one



### 2



### 3 Choose one



\* Compatible with X4300 series | \* Inner Finisher needs staples and a punch kit additionally.

## SAMSUNG

### About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies, redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, printers, medical equipment, network systems and semiconductors. We are also leading in the Internet of Things space through, among others, our Digital Health and Smart Home initiatives. We employ 307,000 people across 84 countries. To discover more, please visit our official website at [www.samsung.com](http://www.samsung.com) and our official blog at [global.samsungtomorrow.com](http://global.samsungtomorrow.com).

Copyright © 2016 Samsung Electronics Co., Ltd. All rights reserved. Samsung and Samsung Cloud Print are either trademarks or registered trademarks of Samsung Electronics Co., Ltd. Specifications and designs are subject to change without notice. Nonmetric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

AirPrint is a trademark of Apple Inc. registered in the U.S. and other countries. Android and Google Cloud Print are trademarks of Google Inc. Samsung Cloud Print is either a trademark or registered trademark of Samsung Electronics Co., Ltd. Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and/or other countries.

MOPRIA™, the Mopria™ Logo™ and the Mopria? Alliance logos are trademarks, service marks, and certification marks of Mopria Alliance, Inc. in the United States and other countries.

Samsung Electronics Co., Ltd.

129 Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-742, Korea



**SAMSUNG**

# MultiXpress3

**Multifunction**  
SL-X3280 Series

Performance  
and savings  
you need.  
**Reliability you  
can trust.**



**SMART PRINTING.**  
BUSINESS INNOVATION.

# A3 COLOR MULTIFUNCTION PRINTERS WITH ROBUST HARDWARE SUPPORT REALIABLE WORKFLOW

## Overview

Samsung's X3280 Series A3 color multifunction printer (MFP) delivers exceptional business performance, reliability and savings for SMBs. Its fast 1 GHz dual core processor, high scan speed and superior graphic quality keep you business ready. And its 7" capacitive touchscreen (TSP) and Active NFC make printing smarter and easier, both in the office and on the go. It also features robust security and industry-leading monthly duty cycle for top-notch reliability, plus the performance of Samsung MultiXpress X4300 Series but at a lower cost.

For dealers, X3280 Series offers an ideal business model. NFC Pro helps you effectively support your customers' business mobility performance and Bring Your Own Device (BYOD) needs with anywhere mobile printing. You can also quickly respond to your customers' service requests using the Samsung Smart Printer Diagnostic System (SPDS) application to maintain reliable print operations. Most importantly, X3280 Series shares service parts with MX4 to help lower your management and maintenance costs.

## Key benefits

### Boost productivity with fast, high-quality prints and scans

- Faster printing speed with powerful CPU
- Crisper, clearer results with Samsung technology
- Industry-best monthly duty cycle

### Smart device management with more solutions on a highly sensitive touchscreen

- Print from Anywhere, Share with others
- Tap to print NFC technology
- Easy to operate user interface

### Breathe easy with health and energy-efficient, yet secure printing

- Stay worry-free from failure, security risk and downtime
- Cut operational costs with shared options and parts
- Simplify printer troubleshooting and maintenance with SPDS


NFC Pro function is available with a **wireless/NFC kit**




# BOOST PRODUCTIVITY WITH FAST, HIGH-QUALITY PRINTS AND SCANS

## Faster printing speed with powerful CPU

The 1Ghz dual core processor and 2GB memory guarantees faster printing, speedy scanning and enhanced productivity.



1GHz DUAL-CORE CPU  
Fast print speed  
**Up to 28 ppm**



## Crisper, clearer results with Samsung technology



Samsung's unique Rendering Engine for Clean Page (ReCP) technology improves the quality and vibrancy of your color printing by sharpening both graphics and text automatically.



## Industry-best monthly duty cycle

With a best-in-class monthly duty cycle of up to 80,000 pages, the Samsung X3280 combines low operating expenses with reliable performance.



Up to  
**80,000**  
pages



# SMART DEVICE MANAGEMENT WITH MORE SOLUTIONS ON A HIGHLY SENSITIVE TOUCHSCREEN

## Print from Anywhere, Share with others

Print documents on the go and share them with anyone. Save and share to the cloud without a PC or printer driver with convenient mobile printing solutions such as Google Cloud Print™, AirPrint™, Mopria® and Samsung Cloud Print™.



## Tap to print NFC technology

Simply tap to print, scan or fax documents with advanced NFC technology from any supported mobile device. The wireless option with Active NFC provides user authentication through a mobile device.



## Easy to operate user interface

Operating a printer has never been easier with a 7-inch capacitive touchscreen for intuitive, smartphone-like usability.




# BREATHE EASY WITH HEALTH AND ENERGY-EFFICIENT, YET SECURE PRINTING

## Stay worry-free from failure, security risk and downtime

The Samsung X3280 offers industry-best control of user, document and network access at the enterprise security level. It supports authentication, print job protection, network security and protocols and hard disk protection, while enabling administrators to manage the control panel and printing privileges.



## Cut operational costs with shared options and parts



Enjoy cost-efficient printing operations by sharing options and service parts within the X4300. These options include the Inner Finisher, Punch Kit, Fax, Dual Cassette Feeder, Stand, Wireless/NFC, Developer Unit (Mono), Tray and Roller.



\* Compatible with X4300

\* Inner Finisher requires additional staples and a punch kit.

## Simplify printer troubleshooting and maintenance with SPDS

Keep your Samsung X3280 and business up and running with the Samsung Smart Printer Diagnostic System App. This printer error diagnostic tool provides easy on-site servicing with easy-to-follow image and video manuals.



# SAMSUNG MULTIFUNCTION PRINTER

## multiXpress3 X3280 Series

### Specifications

General	
Processor	1 GHz (Dual Core)
Operational Panel	7" Color Touch-Panel LCD, 800 x 480 (WVGA)
Memory	2 GB
Hard Disk Drive	320 GB or higher / User Available Space: 300 GB
Interface (Standard)	High Speed USB 2.0 Device/Host, Ethernet 10/100/1000 BASE TX
Interface (Optional)	IEEE 802.11 b/g/n + NFC Active Type
Power Consumption	Max 1.75 kW (Ready: 60 Wh, Sleep: 1.5 W)
Dimension (WxDxH)	566 x 620 x 870 mm (22.3" x 24.4" x 34.3")
Max Dimension (WxDxH)	566 x 620 x 1,130 mm (22.3" x 24.4" x 44.5")
Weight	82.3 kg (181.44 lb)
Max. Monthly Duty Cycle	- X3220NR: 60,000 Pages - X3280NR: 80,000 Pages
Network Security	SSL/TLS, IPsec, SNMPv3, Protocol & Port Management, IPv6, IP/MAC Filtering, IEEE 802.1x

Print	
Speed (Mono / Color)	- X3220NR: 22 / 22 ppm in A4/Letter - X3280NR: 28 / 28 ppm in A4/Letter
Resolution	Default: 2,400 x 600 dpi Effective Output (600 x 600 x 2 bit) / Max: 9,600 x 600 dpi Effective Output (600 x 600 x 4 bit), 1,200 x 1,200 dpi (Half Speed)
Print Languages	PCL5e, PCL6, PostScript3, PDF V1.7
Client OS Support	Windows: Windows XP (32/64 bit), Vista (32/64 bit), 2003 Server (32/64 bit), 2008 Server (32/64 bit), Win7 (32/64 bit), 2008 Server R2 (64 bit), Win8 (32/64 bit), Win8.1 (32/64 bit), 2012 Server (64 bit), 2012 Server R2 (64 bit) / Mac OS 10.6~10.10 / Linux: Red Hat Enterprise Linux 5, 6, 7 / Fedora 13, 14, 15, 16, 17, 18, 19, 20, 21 / openSUSE 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, 13.2 / Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10 / SUSE Linux Enterprise Desktop 11, 12 / Debian 6, 7 / Mint 13, 14, 15, 16, 17 / Unix: Sun Solaris 9, 10, 11 (x86, SPARC) / HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium) / IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1(PowerPC)
Network Protocols	IP Management (DHCP, BOOTP, AutoIP, SetIP, Static) / Discovery Protocol (SLP, UPnP, Bonjour, DNS, WINS) / Printing Protocol (TCP/IP, LPR, IPP, WSD) / Management Protocol (SNMPv1.2, SNMP3, POP3, SMTP, Telnet) / Scan Protocol (SMTP, FTP, SMB, WSD) / Security Protocol (SMB, Kerberos, LDAP, IPsec, EAP)

Scan	
Speed (Mono / Color)	45 / 45 ipm (300 dpi / A4/Letter)
Compatibility	Network TWAIN
Resolution (Optical)	600 x 600 dpi
Resolution (Enhanced)	Up to 4,800 x 4,800 dpi
Scan Destinations	Email, FTP, SMB, HDD, DFS, USB, WSD, PC

Copy	
Speed (Mono / Color)	- X3220NR: 22 / 22 ppm in A4/Letter - X3280NR: 28 / 28 ppm in A4/Letter
First Copy Out Time (Mono / Color)	- X3220NR: 7.2 / 9.0 seconds - X3280NR: 6.2 / 7.6 seconds
Resolution	600 x 600 dpi
Reduce / Enlarge Range	25% - 400%
Multi Copy	9,999 Pages
Copy Features	ID Copy / N-up / Booklet / Image Repeat / Auto Fit / Book Copy / Poster Copy / Watermark / Image Overlay / Stamp / Covers / Job Build / Preview / Erase Edge / Image Shift / Image Adjustment / Background Adjustment



Fax	
Compatibility	ITU-T G3, Super G3
Modem Speed	33.6 kbps
Resolution	Up to 600 x 600 dpi (Mono)
Features	Speed Dial / Group Dial / On-hook Dial / Auto Redial / Caller ID / Secure Reception / Fax forwarding, etc.

Paper Handling	
Input Capacity (Cassette)	1,040 Sheets
Input Capacity (Maximum)	2,180 Sheets (1,140-Sheet Standard + 1,040-Sheet Optional DCF)
Input Capacity (Multipurpose Tray)	100 Sheets
Input Capacity (Other Options)	520-Sheet Optional Cassette x 2
Media Type (Cassette)	Plain Paper / Thin Paper / Bond / Punched / Pre-Printed / Recycled / Label / CardStock / Letterhead / Thick / Cotton / Colored / Archive / Thin Glossy / Heavy Weight/ Extra Heavy Weight
Media Type (Multipurpose Tray)	Plain / Thin / Bond / Hole Punched / Pre-Printed / Recycled / Label / Thin CardStock / Letterhead / Thick / Cotton / Colored / Archive / Thin Glossy / Heavy Weight / Envelope
Media Type (Other Options)	Plain Paper / Thin Paper / Bond / Punched / Pre-Printed / Recycled / Label / CardStock / Letterhead / Thick / Cotton / Colored / Archive / Thin Glossy / Heavy Weight/ Extra Heavy Weight
Media Size (Cassette)	Cassette 1: 148 x 210 mm~297 x 354 mm(5.8" x 8.2"~11.7" x 14") / Cassette 2: 148 x 210 mm~297 x 432 mm (5.8" x 8.2"~11.7" x 17")
Media Size (Multipurpose Tray)	98 x 148 mm~297 x 432 mm (3.8" x 5.8" ~11.7" x 17")
Media Size (Other Options)	148 x 210 mm~297 x 432 mm (5.8" x 8.2"~11.7" x 17")
Media Weights (Cassette)	Plain Paper: 70~90 g/m <sup>2</sup> (18.5~24 lb/Dupl) / Thick Paper: 91~105 g/m <sup>2</sup> (25~28 lb/Dupl) / Heavy Weight Paper: 106~176g/m <sup>2</sup> (Dupl) / Extra Heavy Weight 1 Paper: 177~220 g/m <sup>2</sup> / Thin Paper: 60~69 g/m <sup>2</sup> (16~19 lb/Dupl) / Cotton paper: 75~90 g/m <sup>2</sup> (Dupl) / Colored: 75~90 g/m <sup>2</sup> (Dupl) / Pre-Printed: 75~90 g/m <sup>2</sup> (Dupl) / Recycled: 60~90 g/m <sup>2</sup> (Dupl) / Bond Paper: 105~120 g/m <sup>2</sup> (Dupl) / Letterhead: 75~90 g/m <sup>2</sup> (Dupl) / Hole Punched Paper: 75~90 g/m <sup>2</sup> (Dupl) / Thin CardStock: 106~163 g/m <sup>2</sup> (Dupl) / Thin Glossy: 106~163 g/m <sup>2</sup> (Duplex)
Media Weights (Multipurpose Tray)	16~47 lb (60 to 176 g/m <sup>2</sup> ): Simplex, Duplex / Envelope (75~90 g/m <sup>2</sup> ) / Label (120~150 g/m <sup>2</sup> ): Simplex
Media Weights (Other Options)	Plain Paper: 70~90 g/m <sup>2</sup> (18.5~24 lb/Dupl) / Thick Paper: 91~105 g/m <sup>2</sup> (25~28 lb/Dupl) / Heavy Weight Paper: 106~176 g/m <sup>2</sup> (Dupl) / Extra Heavy Weight 1 Paper: 177~220 g/m <sup>2</sup> / Thin Paper: 60~69 g/m <sup>2</sup> (16~19 lb/Dupl) / Cotton paper: 75~90 g/m <sup>2</sup> (Dupl) / Colored: 75~90 g/m <sup>2</sup> (Dupl) / Pre-Printed: 75~90 g/m <sup>2</sup> (Dupl) / Recycled: 60~90 g/m <sup>2</sup> (Dupl) / Bond Paper: 105~120 g/m <sup>2</sup> (Dupl) / Letterhead: 75~90 g/m <sup>2</sup> (Dupl) / Hole Punched Paper: 75~90 g/m <sup>2</sup> (Dupl) / Thin CardStock: 106~163 g/m <sup>2</sup> (Dupl) / Thin Glossy: 106~163 g/m <sup>2</sup> (Duplex)

Supplies	
Toner (Black / Color)	20,000 / 15,000 pages (5% Coverage)
Imaging Unit/Drum (Black / Color)	50,000 / 50,000 pages
Waste Toner Container	Approx. 33,700 pages (5% Coverage)

Options	
	Inner Finisher (SL-FIN501L), Job Separator (SL-JSP500S), Cabinet Stand, Dual Cassette Feeder, Fax Kit, FDI Kit, Wireless/NFC Kit

\* Inner Finisher is only available for X3280NR.